

N42237.AR.000020  
NSB KINGS BAY  
5090.3a

LETTER REGARDING THE TRANSMITTAL OF SOLID WASTE HANDLING PERMIT FOR  
CAMDEN COUNTY SANITARY LANDFILL NSB KINGS BAY GA  
4/9/1985  
GEORGIA DEPARTMENT OF NATURAL RESOURCES

0037



Commissioner

## Department of Natural Resources

ENVIRONMENTAL PROTECTION DIVISION

270 WASHINGTON STREET, S.W.

ATLANTA, GEORGIA 30334

J. LEONARD LEDBETTER

April 9, 1985

Mr. Robert I. Cantor  
Head, NACIP Department  
Department of the Navy  
Naval Energy and Environmental  
Support Activity  
Port Hueneme, California 93043

Dear Mr. Cantor:

As requested in your letter of March 18, 1985, please find enclosed a copy of Solid Waste Handling Permit #020-001D(SL) issued on March 10, 1976 for the Camden County Sanitary Landfill at Kings Bay. Also enclosed are copies of evaluation reports for the last six months of site operations.

Sincerely,

A handwritten signature in cursive script that reads "James W. Dunbar".

James W. Dunbar  
Program Manager  
Municipal Solid Waste Control Program

JWD:sf

Enclosures

c: John D. Taylor, Jr.  
Southeast Georgia Region EPD  
File



JOE D. TANNER  
Commissioner

J. LEONARD LEOBETTER  
Division Director

# Department of Natural Resources

ENVIRONMENTAL PROTECTION DIVISION  
270 WASHINGTON STREET, S.W.  
ATLANTA, GEORGIA 30334

March 10, 1976

Honorable George L. Hannaford  
Camden County Board of Commissioners  
P. O. Box 284  
Woodbine, Georgia 31569

Dear Commissioner Hannaford:

As per our conversation, your application for Solid Waste Handling Permit including the necessary supplemental data for your solid waste disposal site has been reviewed. Your permit (#020-001D(SL)) is attached and includes conditions and limitations for your operations. This permit issuance is conditioned upon the fact that your design and operational plan will be revised as discussed and returned to this office.

Periodic inspections of your operation will be made by personnel of the Division. These inspections will be discussed with you or your personnel.

If you have questions regarding the permit, please contact us at 404/656-2836.

Sincerely,

Moses N. McCall, III, Chief  
Land Protection Branch

NNM:bbk

Attachment

cc: Mr. Elmer Cleveland  
Mr. Art Litton  
Mr. James W. Dunbar  
Mr. Roland A. Brandt  
File



DEPARTMENT OF NATURAL RESOURCES

STATE OF GEORGIA



PERMIT  
SOLID WASTE HANDLING

Permit No: 020-001D(SL)

Date: March 10, 1976

Permittee: Name Camden County Board of Commissioners

Address P. O. Box 316

Kingsland, Georgia 31548


In accordance with the provisions of the Georgia Solid Waste Management Act, Act 1486, Georgia Laws of 1972, as amended, and the Rules and Regulations promulgated pursuant thereto, this permit is issued for the following operation:

Camden County Disposal Site (Sanitary Landfill) U. S. Army King's Bay Terminal, Kingsland; located on the east side of SR 40 Spur on the U. S. Army King's Bay Terminal approximately 12.1 miles east of Kingsland.

This permit is conditioned upon the permittee complying with the attached conditions of operation, which are hereby made a part of this permit.

The Application for Solid Waste Handling Permit dated February 16, 1976, and the statements and supporting data submitted thereafter are filed with the Environmental Protection Division of the Department of Natural Resources and are hereby made a part of this permit.

This permit is effective from the date first above written and is subject to modification or revocation on evidence of noncompliance with any of the provisions of the Georgia Solid Waste Management Act or any of the Rules and Regulations promulgated pursuant thereto; or with any representation made in the above mentioned application or the statements and supporting data entered therein or attached thereto; or with any conditions of this permit.



DIRECTOR

Environmental Protection Division  
Department of Natural Resources

Permit No: 020-001D(SL)

Issued To: Camden County Board of Commissioners

Conditions for Sanitary Landfill Operation:

1. The disposal site shall be under the supervision of a responsible individual, at the disposal site, at all times during operation.
2. Solid waste unloading shall be restricted to the working face of the operation in such manner that waste may be easily incorporated into the sanitary landfill with available equipment.
3. Solid waste shall be spread in uniform layers and compacted to its smallest practical volume before covering with earth.
4. A uniform compacted layer of clean earth cover at least six (6) inches in depth shall be placed over all exposed solid waste by the end of each day's operation, or more frequently as may be determined by the Division. In no case may solid waste be left uncovered for more than 24 hours.
5. A uniform compacted layer of clean earth cover not less than one (1) foot in depth shall be placed over each portion of any intermediate lift following completion of that lift.
6. A uniform compacted layer of clean earth cover not less than two (2) feet in depth shall be placed over the final lift not later than one month following placement of solid waste within that lift.
7. All-weather access roads shall be provided to the disposal site and provisions shall be made for prompt equipment repair or replacement when needed.
8. Access to the sanitary landfill shall be limited to authorized entrances which shall be closed when the site is not in operation.
9. The disposal site shall be graded and drained to minimize runoff onto the sanitary landfill, to prevent erosion and to drain water from the surface of the sanitary landfill.
10. Scattering of wastes by wind shall be controlled by fencing or other barriers and the entire site shall be policed daily.
11. Hazardous wastes shall be handled only in accordance with a procedure submitted to and approved by the Division.
12. Suitable measures to control fires that may start shall be provided. Stockpiled soil is considered to be the most satisfactory fire fighting material.
13. No solid waste shall be placed within two (2) feet of the seasonal high water table.
14. A retention pond with an equivalent area of 900 square feet shall be constructed at the outlet of the drainage ditch before it enters the swamp.